

ULTRASET SF BROWN Revision Number 2

Revision date 18-Nov-2024 Supersedes date 22-Aug-2024

# Section 1: Identification: Product identifier and chemical identity

Product identifier

Product Name ULTRASET SF BROWN

Product Code(s) 30840208

30840208; 30604590

Other means of identification

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Recommended use Adhesives

Uses advised against No information available.

Details of manufacturer or importer

<u>Supplier</u> <u>Manufacturer</u>

Bostik Australia Pty Ltd
51-71 High Street,
Thomastown Victoria

Bostik Australia Pty Ltd
51-71 High Street,
Thomastown Victoria

Thomastown Victoria

Australia Australia

**ABN:** 79 003 893 838 **ABN:** 79 003 893 838

E-mail address au-bostik-sds@bostik.com

Emergency telephone number

Emergency telephone number 24-hr Emergency: 1800 033 111

# Section 2: Hazard(s) identification

#### **GHS Classification**

Respiratory sensitization	Category 1 - (H334)
Skin sensitization	Category 1 - (H317)
Carcinogenicity	Category 2 - (H351)

#### Label elements

Health hazard



Australia - EN Page 1 / 11

ULTRASET SF BROWN Revision Number 2

Revision date 18-Nov-2024 Supersedes date 22-Aug-2024

#### Signal word

DÄNGER

#### **Hazard statements**

H317 - May cause an allergic skin reaction

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H351 - Suspected of causing cancer

#### **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Avoid breathing dust/fume/gas/mist/vapors/spray

In case of inadequate ventilation wear respiratory protection

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

#### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor/physician

IF ON SKIN: Wash with plenty of water and soap

If skin irritation or rash occurs: Get medical advice/attention

Take off contaminated clothing and wash it before reuse

IF INHALED: Remove person to fresh air and keep comfortable for breathing

If experiencing respiratory symptoms: Call a POISON CENTER or doctor

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Rinse mouth

Do NOT induce vomiting

# **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Other hazards which do not result in classification

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released, when the product is exposed to moisture or water.

Contact with product at elevated temperatures can result in thermal burns.

Causes mild skin irritation.

#### Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

Poison Schedule Number Not applicable

# Section 3: Composition and information on ingredients, in accordance with Schedule 8

## <u>Substance</u>

Not applicable

#### <u>Mixture</u>

Chemical name	CAS No.	Weight-%
Diphenylmethane-diisocyanate, isomers and homologues	9016-87-9	1 - 5
Urea, N,N"-(methylenedi-4,1-phenylene)bis[N'-butyl-	77703-56-1	1 - 5
4,4'-Methylenediphenyl diisocyanate	101-68-8	1 - 5
Non-hazardous ingredients	Proprietary	Balance

# Section 4: First aid measures

Australia - EN Page 2 / 11

**ULTRASET SF BROWN** Revision date 18-Nov-2024 **Revision Number** 2 Supersedes date 22-Aug-2024

Poisons Information Center, Australia: 13 11 26 **Emergency telephone number** 

Poisons Information Center, New Zealand: 0800 764 766

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get

medical advice/attention.

Inhalation May cause allergic respiratory reaction. If breathing has stopped, give artificial

respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact

with skin. Use barrier to give mouth-to-mouth resuscitation.

Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper Eye contact

eyelids. Consult a physician.

Skin contact Wash with soap and water. May cause an allergic skin reaction. In the case of skin

irritation or allergic reactions see a physician.

May produce an allergic reaction. Do NOT induce vomiting. Rinse mouth. Never give Ingestion

anything by mouth to an unconscious person. Get immediate medical attention.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required. See section 8 for more information.

Most important symptoms and effects, both acute and delayed

**Symptoms** May cause allergy or asthma symptoms or breathing difficulties if inhaled. Coughing and/

or wheezing. Itching. Rashes. Hives. Prolonged contact may cause redness and

irritation

Indication of any immediate medical attention and special treatment needed

May cause sensitization in susceptible persons. Treat symptomatically. Note to physicians

Section 5: Firefighting measures

Suitable Extinguishing Media

Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

Product is or contains a sensitizer. May cause sensitization by inhalation. May cause

sensitization by skin contact.

Carbon oxides. Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx). **Hazardous combustion products** 

Hydrogen cyanide. Isocyanates.

Special protective actions for fire-fighters

precautions for fire-fighters

Special protective equipment and Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

Section 6: Accidental release measures

Australia - EN Page 3 / 11

ULTRASET SF BROWNRevision date18-Nov-2024Revision Number2Supersedes date22-Aug-2024

#### Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

**Other information** Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

**Environmental precautions** 

**Environmental precautions** Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

# Section 7: Handling and storage, including how the chemical may be safely used

#### Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact

with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product.

Take off contaminated clothing and wash before reuse.

**General hygiene considerations** Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and

immediately after handling the product.

#### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Keep out of the reach of children. Protect from moisture.

Recommended storage

temperature

Keep at temperatures between 50 and 95 °F / 10 and 35 °C.

# Section 8: Exposure controls and personal protection

#### **Control parameters**

**Exposure Limits** Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released, when

the product is exposed to moisture or water. As Quartz (14808-60-7) is inextricably bound in the polymer matrix, it is not expected to be available as an airborne hazard

(dust, mist, or spray) under normal condition of uses.

Chemical name	Australia
Diphenylmethane-diisocyanate, isomers and homologues	TWA: 0.02 mg/m <sup>3</sup>
9016-87-9	STEL: 0.07 mg/m <sup>3</sup>
4,4'-Methylenediphenyl diisocyanate	TWA: 0.02 mg/m <sup>3</sup>
101-68-8	STEL: 0.07 mg/m <sup>3</sup>

OEL as published by Safe Work Australia

Australia - EN Page 4 / 11

ULTRASET SF BROWN
Revision Number 2
Revision Number 2
Revision Supersedes date 22-Aug-2024

#### **Appropriate engineering controls**

**Engineering controls** Showers, eyewash stations, and ventilation systems.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin and body protection**Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact.

**Hand protection** For operations where prolonged or repeated skin contact may occur, impervious gloves

should be worn. Nitrile rubber.

**Respiratory protection** Wear a respirator conforming to EN 140 with Type A/P2 filter or better. Organic gases

and vapors filter conforming to EN 14387.

Environmental exposure controls No information available.

# Section 9: Physical and chemical properties

#### Information on basic physical and chemical properties

Physical state Liquid

Appearance Thixotropic Paste

ColorWhiteOdorSlight

Odor threshold Not applicable

Property Values Remarks • Method

**pH** No data available Not applicable Insoluble in water

pH (as aqueous solution)
Melting point / freezing point
Initial boiling point and boiling
range

No data available
No data available
No data available

Flash point
Evaporation rate
Flammability
No data available
No data available
No data available

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressure No data available Relative vapor density No data available

Relative density 1.30

Water solubility Reacts with water Solubility(ies) No data available Partition coefficient No data available

Autoignition temperature 240 °C

Decomposition temperatureNo data availableKinematic viscosityNo data availableDynamic viscosityNo data availableExplosive propertiesNo information availableOxidizing propertiesNo information available

Other information

Solid content (%)

Liquid Density

No information available
No information available

Australia - EN Page 5 / 11

ULTRASET SF BROWN
Revision Number 2
Revision Number 2
Revision Supersedes date 22-Aug-2024

VOC content 0 g/L

# Section 10: Stability and reactivity

Reactivity

**Reactivity** No information available.

Chemical stability

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical

None.

impact

Sensitivity to static discharge None.

#### Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

**Conditions to avoid** 

**Conditions to avoid** Product cures with moisture. Protect from moisture.

**Incompatible materials** 

**Incompatible materials**None known based on information supplied.

**Hazardous decomposition products** 

Hazardous decomposition

products

None known based on information supplied.

# Section 11: TOXICOLOGICAL INFORMATION

# **Acute toxicity**

#### Information on likely routes of exposure

# **Product Information**

**Inhalation** Specific test data for the substance or mixture is not available. May cause sensitization in

susceptible persons. (based on components).

Eye contact Based on available data, the classification criteria are not met.

**Skin contact** Specific test data for the substance or mixture is not available. Repeated or prolonged

skin contact may cause allergic reactions with susceptible persons. (based on components). May cause sensitization by skin contact. Causes mild skin irritation.

**Ingestion** Specific test data for the substance or mixture is not available. May cause additional

affects as listed under "Inhalation".

Symptoms Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing,

tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing. Coughing and/ or wheezing. Itching. Rashes. Hives. Prolonged contact may

cause redness and irritation.

# Numerical measures of toxicity - Product Information

Australia - EN Page 6 / 11

ULTRASET SF BROWNRevision date18-Nov-2024Revision Number2Supersedes date22-Aug-2024

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) >5000
ATEmix (dermal) 8,523.30
ATEmix (inhalation-gas) >20000
ATEmix (inhalation-vapor) >20
ATEmix (inhalation-dust/mist) 20.10

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Diphenylmethane-diisocyanate,	LD50 > 10000 mg/kg (Rattus)	LD 50 > 9400 mg/kg	1.5 mg/L (Rattus) 4 h
isomers and homologues		(Oryctolagus cuniculus)	-
Urea,	>2000 mg/Kg (Rattus)	>2000 mg/Kg (Rattus)	-
N,N"-(methylenedi-4,1-phenyle	(OECD 401)	(OECD 402)	
ne)bis[N'-butyl-			
4,4'-Methylenediphenyl	=31600 mg/kg (Rattus)	LD 50 > 9400 mg/kg	1.5 mg/L (Rattus) 4 h
diisocyanate	= 9200 mg/kg (Rattus)	(Oryctolagus cuniculus)	
		OECD 402	

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Classification based on data available for ingredients. Causes mild skin irritation.

Component Information					
Diphenylmethane-diisoc	Diphenylmethane-diisocyanate, isomers and homologues (9016-87-9)				
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404:	Rabbit				Mild skin irritant
Acute Dermal					
Irritation/Corrosion					

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Component Information					
4,4'-Methylenediphenyl diisocyanate (101-68-8)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	Eye	0.1 mL	24 hours	Non-irritant
Acute Eye					
Irritation/Corrosion					

**Respiratory or skin sensitization** May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an

allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for

ingredients. Suspected of causing cancer. As Quartz (14808-60-7) is inextricably bound in the polymer matrix, it is not expected to be available as an airborne hazard (dust, mist,

or spray) under normal condition of uses.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	Australia	European Union	IARC
Diphenylmethane-diisocyanate,	Carc. 2		Group 3

Australia - EN Page 7 / 11

ULTRASET SF BROWN Revision Number 2

Revision date 18-Nov-2024 Supersedes date 22-Aug-2024

isomers and homologues 9016-87-9			
4,4'-Methylenediphenyl diisocyanate 101-68-8	Carc. 2	Carc. 2	Group 3

Legend

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans Group 3 - Not Classifiable as to Carcinogenicity in Humans

Component Information				
Diphenylmethane-diisocyanate, isomers and homologues (9016-87-9)				
Method	Species	Results		
OECD Test No. 453: Combined Chronic	Rat	Carcinogenic		
Toxicity/Carcinogenicity Studies				

4,4'-Methylenediphenyl diisocyanate (101-68-8)				
Method	Species	Results		
OECD Test No. 453: Combined Chronic	Rat	Limited evidence of a carcinogenic		
Toxicity/Carcinogenicity Studies		effect		

Reproductive toxicity Based on available data, the classification criteria are not met.

**STOT - single exposure** No information available.

**STOT - repeated exposure**Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

# Section 12: Ecological information

# **Ecotoxicity**

# **Aquatic ecotoxicity**

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Diphenylmethane-diisoc yanate, isomers and homologues 9016-87-9	ErC50 (72h) >1640 mg/L Algae (scenedesmus subspicatus) (OECD 201)	CL50 (96h) >1000 mg/L Danio rerio	-	EC50 (24H) >1000 mg/L Daphnia magna
Urea, N,N"-(methylenedi-4,1-p henylene)bis[N'-butyl- 77703-56-1	EC50 (72h) >100 mg/L Algae (Raphidocelis subcapitata)	LC50 (96h)>250 mg/L (Brachydanio rerio)	-	EC50 (48h) >100 mg/L Daphnia magna
4,4'-Methylenediphenyl diisocyanate 101-68-8	ErC50 (72h) >1640 mg/L Algae (scenedesmus subspicatus) (OECD 201)	>1000 mg/l Danio rerio	-	EC50 (24H) >1000 mg/L Daphnia magna

# Persistence and degradability

Persistence and degradability No information available.

Component Information				
Diphenylmethane-diisocyanate, isomers and homologues (9016-87-9)				
Method Exposure time Value Results				
OECD Test No. 302C: Inherent	28 days	0% biodegradation	Not readily biodegradable	
Biodegradability: Modified MITI Test		-	-	

Australia - EN Page 8 / 11

ULTRASET SF BROWN Revision date 18-Nov-2024
Revision Number 2 Supersedes date 22-Aug-2024

|--|

4,4'-Methylenediphenyl diisocyanate (101-68-8)				
Method	Exposure time	Value	Results	
OECD Test No. 302C: Inherent	28 days	0% biodegradation	Not readily biodegradable	
Biodegradability: Modified MITI Test		-		
(II)				

# Bioaccumulative potential

**Bioaccumulation** There is no data for this product.

#### **Component Information**

Chemical name	Partition coefficient
4,4'-Methylenediphenyl diisocyanate	4.51
101-68-8	

# **Mobility**

Mobility in soil

No information available.

Mobility

No information available.

Other adverse effects

Other adverse effects No information available.

# Section 13: Disposal considerations

**Disposal methods** 

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

# Section 14: Transport information

ADG Not regulated

IATA Not regulated

<u>IMDG</u> Not regulated

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available

# Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

**National regulations** 

Australia - EN Page 9 / 11

ULTRASET SF BROWNRevision date18-Nov-2024Revision Number2Supersedes date22-Aug-2024

#### Australia

See section 8 for national exposure control parameters

#### Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

Poison Schedule Number Not applicable

#### **Illicit Drug Precursors/Reagents**

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

#### National pollutant inventory

Subject to reporting requirement

Chemical name	National pollutant inventory
4,4'-Methylenediphenyl diisocyanate	10 tonne/yr Threshold category 1
101-68-8	

#### International Inventories

AIIC	Complies
NZIoC	Complies
ENCS	Not Listed
IECSC	Not Listed
KECL	Not Listed
PICCS	Not Listed

#### Legend:

**AIIC** - Australian Inventory of Industrial Chemicals

**NZIoC** - New Zealand Inventory of Chemicals

ENCS - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing Chemicals Inventory

PICCS - Philippines Inventory of Chemicals and Chemical Substances

#### **International Regulations**

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

#### Europe

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

# SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### Directive 2011/65/EU (EU RoHS 2), as amended by the Delegated Directive (EU) 2015/863 (EU RoHS 3)

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation

## Section 16: Any other relevant information

Australia - EN Page 10 / 11

ULTRASET SF BROWN
Revision Number 2
Revision Number 2
Revision Supersedes date 22-Aug-2024

Prepared By Product Safety & Regulatory Affairs

Revision date 18-Nov-2024

#### **Revision Note**

\*\*\*Indicates updated data since last publication.

#### Key or legend to abbreviations and acronyms used in the safety data sheet

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk\* Skin designation

C Carcinogen

Section 11: TOXICOLOGICAL INFORMATION

LD50 (lethal dose)

Section 12: Ecological information EC50 (effective concentration)

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet** 

Australia - EN Page 11 / 11